Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(sport\$1 with weather) with record\$3 with (location geographic\$3 zones) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/08 10:36
L2	41	(sport\$1 with weather) with (location geographic\$3 zones) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:50
L3	105	(send\$3 shar\$4 forward\$3) with (receiv\$4 near2 questions) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; .IBM_TDB	OR	ON	2006/11/08 10:51
L4	30	((send\$3 shar\$4 forward\$3) with (receiv\$4 near2 questions)).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:51`
L5	15	((send\$3 shar\$4 forward\$3) with (receiv\$4 adj2 questions)).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:16
L6	2	("6175833").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 11:16
S1	6	famil\$1 with shar\$1 with profile\$1 and @ad<="20000411"	USPAT	OR	OFF	2005/07/29 13:05
S2	6	famil\$1 with shar\$1 with profile\$1 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:06

S3	2	famil\$1 with shar\$1 with personal and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:07
S4	1330	famil\$1 with shar\$1 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:09
S5	1317	famil\$1 with personal and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:09
S6	1317	(famil\$1 with personal) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 10:19
S7	1317	(family with personal) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:09
S8	738	(shar\$1 with personal) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:09
S9	2	(shar\$1 with personal with family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:10
S10	- 4	((shar\$1 with personal) same family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:12

S11	19	(information with shar\$1 with family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:18
S12	43	(personal with access\$5 with family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:30
S13	14	(personal with access\$5 near4 family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:45
S14	0	(privacy with access\$5 near4 family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/07/29 13:45
S15	14	(personal with access\$5 near4 family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:47
S16	16	(personal with access\$5 near5 family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:48
S17	1	(privacy with access\$5 near5 family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2005/07/29 13:48
S18	2	(privacy with access\$5 with family) and @ad<="20000411"	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:49

C10	10005	(110 000115	Ton	0==	2007/27
S19	10086	(personal and family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:50
S20	1317	(personal with family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/07/29 13:50
S21	43	(personal with family with access\$5) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:03
S22	. 0	(user near1 profile with family with access\$5) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:03
S23	0	(user near2 profile with family with access\$5) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:03
S24	0	(user near4 profile with family with access\$5) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:03
S25	3	(user near1 profile with access\$5 same family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:46
S26	63	(user near1 profile with access\$5 same group) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:46

S27	33	(user near1 profile with access\$5 with group) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:47
S28		(user near1 profile with access\$5 with (work\$3 near1 group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:47
S29	0	(user near1 profile with access\$5 with (work\$3 near2 group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:47
S30	33	(user near1 profile with access\$5 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:48
S31	2	(user near1 profile with shar\$5 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:50
532	0	(personal near1 profile with shar\$5 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:50
S33	0	(personal near1 profile with access\$5 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:50
S34	1	(personal near1 profile with access\$5 same(group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:50

S35	7	(personal near1 profile with view\$3 same(group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:51
S36	7	(personal near1 profile with view\$3 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:54
S37	4	(personal near1 information with view\$3 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/07/29 14:55
S38	4	(personal near1 information with shar\$3 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:01
S39	0	(personal near1 profile with shar\$3 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:01
S40	0	(personal near1 profile\$1 with shar\$3 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:01
S41	0	(personal near1 profile\$1 with access with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:01
S42	0	(personal near1 profile\$1 with access\$3 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:17

S43	41	(user near1 profile\$1 with access\$3 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR .	OFF	2005/07/29 15:02
S44	20	(user near1 profile\$1 near2 access\$3 with (group)) and @ad<="20000411"	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2005/07/29 15:02
S45	1	(user near1 profile\$1 near2 access\$3 near5 (group)) and @ad<="20000411"	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:07
S46	0	(user near1 credential1 near2 access\$3 near5 (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:08
S47	0	(user near1 profile1 near3 access\$3 near5 (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/07/29 15:08
S48	1	(user near1 profile\$1 near3 access\$3 near5 (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:08
S49	12	(user near1 profile\$1 with access\$3 near5 (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:13
S50	9160	((access\$3 user near1 profile\$1) near5 (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:13

			-			
S51	0	((access\$3 near 1user near1 profile\$1) near5 (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:14
S52		((access\$3 near1 user near1 profile\$1) near5 (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:16
S53	13	((access\$3 near1 user near1 profile\$1) with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:19
S54	0	((shar\$3 near3 user near1 profile\$1) with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:19
S55	0	((shar\$3 near3 personal near1 profile\$1) with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:19
S56	17	((shar\$3 near3 personal) with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 16:02
S57	26	((shar\$3 near3 personal) same (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/07/29 16:02
S58	399	(groupware and list) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 12:43
S59	1	("6057835").PN.	USPAT; USOCR	OR	OFF	2005/08/01 13:06

S60	1	("6484196").PN.	USPAT; USOCR	OR	OFF	2005/08/01 13:18
S61	1	("6,807,538").PN.	USPAT; USOCR	OR	OFF	2005/08/01 13:34
S62	1	("6266420").PN.	USPAT; USOCR	OR	OFF	2005/08/01 13:34
S63	35	(online with vot\$5) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 14:07
S64	5	(online with vot\$5) and classif\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 14:16
S65	33	(online with evalua\$5) and classif\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 14:08
S66	5	(online with comment\$3) and classif\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 14:08
S67	74	(online near2 rat\$5) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 14:17
S68	4	(online near2 rat\$5).ti. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/08 14:45
S69	10	(online near2 rat\$5).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 14:18

S70	4	(online and survey\$3).ti. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/08 16:17
S71	1	("6321251").PN.	USPAT; USOCR	ÖR	OFF	2006/05/08 16:18
S72	. 1	("5898836").PN.	USPAT; USOCR	OR	OFF	2006/05/08 18:06
S73	1	("20030036975").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 18:45
S74	1.	("6175833").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 19:31
S75	77	(limit\$3 with voters)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:31
S76	0	(limit\$3 with voters) same online and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:32
S77	1	(limit\$3 with voters) and online and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:33
S78	7	(limit\$3 with users) and (online with vot\$3)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:38
S79	0	(limit\$3 with voters) and (online with vot\$3)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:38

S80	1	(limit\$3 with voters) and (online)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:38
S81	26	(limit\$3 with user) and (online with survey)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:39
S82	6	(limit\$3 near1 (number amount) with user) and (online with survey)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:41
S83	20	(limit\$3 near1 (number amount) with voters) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:45
S84	0	(limit\$3 near1 (number amount) with surviors) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:45
S85	8	((number amount) with permit\$4 with voters) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:22
S86	65	(((number amount)near2 users) with (permit\$4 near2 access\$3)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:23
S87	22	(survey\$3 vot\$3 comment\$3 elect\$3) and (((number amount)near2 users) with (permit\$4 near2 access\$3)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:34

		LAST Scare	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	/		
S88	34	(max\$4 near2 (number total\$4) near3 vot\$4) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:01
S89	1	((permit\$3 authoriz\$4) with shar\$3 with (personal near1 information)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:04
S90	1	((permit\$3 authoriz\$4) with shar\$3 with (personal near3 information)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:04
S91	177	(shar\$3 with (personal near3 information)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:04
S92	100	(shar\$3 near4 (personal near3 information)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:05
S93	1	(shar\$3 near4 (personal near3 information)) and vot\$4 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:06
S94	2	(shar\$3 near4 ((vot\$3 survey) near3 information)) and vot\$4 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/05/09 13:07
S95	9	(shar\$3 with ((vot\$3 survey) near3 information)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:22
S96	0	("20030140043").PN.	USPAT; USOCR	OR	OFF	2006/05/09 13:23

S97	1	("20030069897").PN.	US-PGPUB;	OR	OFF	2006/05/09 13:24
			USPAT; USOCR			
S98	614	permit\$3 with (access\$3 shar\$3) with (personal privat\$3)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:26
S99	80	"709"/\$.ccls. and permit\$3 with (access\$3 shar\$3) with (personal privat\$3)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:26
S10 0	11	"709"/\$.ccls. and survey\$3 and permit\$3 with (access\$3 shar\$3) with (personal privat\$3)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:28
S10 1	0	"709"/\$.ccls. and survey\$3 and permit\$3 with (access\$3 shar\$3) with (personal privat\$3)near1 (data information profile\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:29
S10 2	6	"709"/\$.ccls. and permit\$3 with (access\$3 shar\$3) with (personal privat\$3)near1 (data information profile\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 15:18
S10 3	1	("5821508").PN.	USPAT; USOCR	OR	OFF	2006/05/09 15:18
S10 4	1	("20020023230").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 12:44
S10 5	724	(aggregat\$3 with profile\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/05/11 12:44
S10 6	0	"709"/.ccls. and (aggregat\$3 with profile\$1).ti. and @ad<="20000411" .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 12:45

S10 7	0	"709"/.ccls. and (aggregat\$3 and profile\$1).ti. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 12:45
S10 8	21	(aggregat\$3 and profile\$1).ti. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 12:48
S10 9	306	(aggregat\$3 and profile\$1).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 12:48
S11 0	3	"709"/\$.ccls. and (aggregat\$3 and profile\$1).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 13:04
S11 1	306	(aggregat\$3 and profile\$1).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 13:05
S11 2	12	(aggregat\$3 and user\$1 near1 profile\$1).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 13:07
S11 3	547	(aggregat\$3 and user\$1 near1 profile\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/05/11 13:07
S11 4	54	(aggregat\$3 with user\$1 near1 profile\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/05/11 13:10

S11 5	19089225	(aggregat\$3 with user\$1 near1 profile\$1) and bussiness near1 entitiesand @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 13:10
S11 6	0	(aggregat\$3 with user\$1 near1 profile\$1) and bussiness near1 entities and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 13:10
S11 7	22	(aggregat\$3 with user\$1 near1 profile\$1) and entities and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 13:52
S11 8	7	(aggregat\$3 with user\$1 near1 profile\$1) and (vot\$3) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:02
S11 9	16	(aggregat\$3 with user\$1 near1 profile\$1) and ((vot\$3 evaluat\$3) bussiness) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:06
S12 0	0	(aggregat\$3 with user\$1 near1 profile\$1) and ((vot\$3 evaluat\$3)with bussiness) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:03
S12 1	0	(aggregat\$3 with customers near1 profile\$1) and ((vot\$3 evaluat\$3)with bussiness) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/05/11 14:03
S12 2	0	(aggregat\$3 with profile\$1) and ((vot\$3 evaluat\$3)with bussiness) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:03

S12 3	0	(aggregat\$3 with profile\$1) and (bussiness) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:03
S12 4	0	(aggregat\$3 with user\$1 near1 profile\$1) and ((vot\$3 evaluat\$3)with bussiness) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:03
S12 5	1	("6175833").PN.	USPAT; USOCR	OR	OFF	2006/05/11 15:47
S12 6	725	(concurrently with display\$3 with (graphic screen)) and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR :	ON	2006/05/11 15:51
S12 7	1	S126 and vot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:50
S12 8	9	(concurrently with more near2 two with display\$3 with (graphic screen)) and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:54
S12 9	0	(concurrently with two with bussiness\$3 with display\$3 with (graphic screen)) and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/11 15:55
S13 0	0	(concurrently with bussiness\$3 with display\$3 with (graphic screen)) and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:55
S13 1	20	(concurrently with results with display\$3 with (graphic screen)) and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 16:25

<u></u>					I	
S13 2	3	(concurrently with plurality with results with display\$3 with (graphic screen)) and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 18:07
S13 3	. 82	(extensible with java) and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 18:07
S13 4	22	(extensible with java) with pages and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 18:07
S13 5	0	(extensible with java) with pages with tags and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/11 18:07
S13 6	0	(extensible with java) same pages with tags and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 18:09
S13 7	2	(extensible with java) same tags and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 19:00
S13 8	1	(("20020087628") or ("6957251")). PN.	USPAT; USOCR	OR	OFF	2006/05/11 19:01
S13 9	2	(("20020087628") or ("6957251")). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 19:01
S14 0		("20020023230").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 10:09

S14 1	1019	(credi\$3 with report\$3) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 10:19
S14 2	0	(credi\$3 with report\$3 with plurality\$3 near1 (banks bussiness)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 10:20
S14 3	0	(credi\$3 with report\$3 with plurality\$3 near3 (banks bussiness)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 10:20
S14 4	0	(credi\$3 with report\$3 same plurality\$3 near3 (banks bussiness\$3)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 16:34
S14 5	27	(credi\$3 with report\$3 same (banks bussiness\$3)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/11/01 15:17
S14 6	2	("20040133640").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:17
S14 7	419	(permit\$4 with access\$3 with personal) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:18
S14 8	68	((permit\$4 with access\$3 with personal)).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:19

S14 9	228	((identif\$4 identification) with associat\$3 with users with (business banks providers)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/01 15:54
S15 0	30	((identif\$4 identification) with associat\$3 with users with (business banks providers)).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:57
S15 1	0	((identif\$4 identification) with associat\$3 with users with (business banks providers)) with shar4 with information and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:58
S15 2	0	(identif\$4 identification) with associat\$3 with users with shar4 with information and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:58
S15 3	14	(identif\$4 identification) with associat\$3 with users with shar\$4 with information and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 16:29
S15 4	2	("6205553").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 16:26
S15 5	4406781	(identif\$4 identification) with associat\$3 with users with shar\$4 with information data records and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR 	ON	2006/11/01 17:09
S15 6	31	(identif\$4 identification) with associat\$3 with users with shar\$4 with (information data records) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 16:32

S15 7	2	(identif\$4 identification) with associat\$3 with users with shar\$4 with (information data records) with (provider banks credi\$4) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 16:33
S15 8	2	("20010011245").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:06
S15 9	2	("6714944").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:06
S16 0	19126408	(shar\$3 near2 information) @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:09
S16 1	8547	(shar\$3 near2 information) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:09
S16 2	0	(shar\$3 near2 information)and (report\$3 with webpage\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:10
S16 3	9	(shar\$3 wiht information)and (report\$3 with webpage\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:10
S16 4	9	(shar\$3 wwith information)and (report\$3 with webpage\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:10

S16 5	0	(shar\$3 with information)and (report\$3 with webpage\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:10
S16 6	11	(report\$3 with webpage\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:11
S16 7	7	(report\$3 with credit\$3 with (webpage\$1 web-pages pages)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:19
S16 8	0	((send\$3 forward\$3) with report\$3 with television with wireless) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:20
S16 9	2	((send\$3 forward\$3) same report\$3 with television with wireless) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:22
S17 0		((send\$3 forward\$3) near2 report\$3 same (television adj1 network)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:22
S17 1		(report\$3 same (television adj1 network)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:23
S17 2	9	(report\$3 with (television adj1 network)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:24

S17 3	0	(send\$3 near1 report\$3 with (television adj1 network)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:24
S17 4	0	(send\$3 near1 report\$3 same(television adj1 network)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:24
S17 5	9	(send\$3 near1 report\$3 and (television adj1 network)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/01 17:27
S17 6	1498	((disclos\$3 display\$3) with report\$3 and (television)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:28
S17 7	246	((disclos\$3 display\$3) with report\$3 with (television)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:28
S17 8	23	(((disclos\$3 display\$3) with report\$3 with (television))).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:33
S17 9	8	(((disclos\$3 display\$3) with report\$3 with (wireless))).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:34
S18 0	7	((send\$3 with report\$3 with (wireless))).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:37

S18 1	49	((send\$3 with report\$3 with (wireless))) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:35
S18 2	2	("20010011245").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:36
S18 3	2	("6154729").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:36
S18 4	996	((send\$3 with (wireless))).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:37
S18 5	9	((send\$3 near2 reports with (wireless))) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:09
S18 6	2	("5357617").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 18:09